

# FreePDFdump



Try before you buy

Download a free sample of any of our exam questions and answers

 Download Demo

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



## Quality and Value

FreePdfDump Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



## Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



## Easy to Pass

If you prepare for the exams using our FreePdfDump testing engine, it is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



## Try Before Buy

FreePdfDump offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.freepdfdump.top>

Pass for sure with free exam dumps, pdf demo is available for everyone

**Exam** : **200-150**

**Title** : **Introducing Cisco Data Center  
Networking**

**Vendor** : **Cisco**

**Version** : **DEMO**

**NO.1** Which two protocols are associated with the link layer of the TCP/IP reference model? (Choose two.)

- A. UDP
- B. LLDP
- C. HSRP
- D. IPsec
- E. STP

**Answer:** B,E

Explanation


<https://gtacknowledge.extremenetworks.com/articles/Solution/Layer-two-layer-2-protocol-packets-does-not-pass-through-the-VMAN-tunnel-after-upgrade-of-EXOS>

**NO.2** Which two protocols can you use for SAN storage that is accessed via low-latency, high-bandwidth networking? (Choose two.)


- A. iSCSI
- B. FCP
- C. CIFS
- D. AFP
- E. NFS

**Answer:** A,B

**NO.3** Drag the technology on the left to the OSI layer at which it operates on the right.



**Answer:**



Explanation

Transport Layer - E



Data Link Layer - A

Application Layer - D


Network Layer - C

Presentation Layer - B

**NO.4** Drag and drop the OSI reference model layer on the left to the corresponding TCP/IP layer on the right.




**Answer:**



**NO.5** Drag and drop the cable category on the left to the correct maximum data transmission speed and length on the right. Not all options are used.



**Answer:**



Explanation

Category 3 - B

Category 5e - C

Category 6 - D

Category 6a - A

**NO.6** Which block storage protocol can be used over an unlimited distance?

**A.** FCoE

**B.** iSCSI

**C.** SMB

**D.** Fibre Channel

**Answer:** B

Explanation

[https://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-s-series-storage-servers/white\\_paper\\_c11-738251.pdf](https://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-s-series-storage-servers/white_paper_c11-738251.pdf)

<https://www.cisco.com/c/en/us/products/collateral/storage-networking/mds-9700-series-multilayer-directors/white-paper-c11-734014.html>

**NO.7** Drag and drop the feature on the left to the correct description on the right.

accounting	Provides access control and verifies whether the connected user can execute a submitted command.
authentication	The process of verifying the identity of the person or device accessing the resource.
RBAC	Provides a method to collect and log information, and send the information to the AAA server for billing, auditing, and reporting.
authorization	A method of restricting or authorizing system access for users based on user roles and locales.

**Answer:**

accounting	authorization
authentication	authentication
RBAC	accounting
authorization	RBAC

Explanation

Authorization = Provide access control and verifies whether the connected user can execute a submitted command.

Authentication = The process of verifying the identity of the person or device accessing the resource.

Accounting = Provides a method to collect and log information, and send the information to the AAA server for billing, auditing, and reporting  
RBAC = A method of restricting or authorization system access for users based on user roles and locales.

**NO.8** On a Cisco Nexus switch, you need to configure an ACL that permits HTTP traffic only from network 10.68.68.0/24 to network 10.68.69.0/24. Which command should you use?

**A.** switch(config)# ip access-list test

switch(config-acl)# permit tcp 10.69.69.0 0.0.0.255 10.68.68.0 0.0.0.255 eq 80

**B.** switch(config)# ip access-list test

switch(config-acl)# permit tcp 10.68.68.0/24 10.68.69.0/24 any eq 80  
switch(config-acl)# permit ip any any

**C.** switch(config)# ip access-list test

switch(config-acl)# permit tcp 10.68.68.0/24 10.68.69.0/24 eq 80

**D.** switch(config)# ip access-list test

switch(config-acl)# permit tcp 10.68.68.0 255.255.255.0 10.68.69.0 255.255.255.0 any eq 80

**Answer:** C

**NO.9** A network engineer examines a data capture and finds a large amount of traffic with the destination address of FF:FF:FF:FF:FF:FF. What type of address is this?

**A.** Layer 3 broadcast address

**B.** Layer 2 broadcast address

**C.** a multicast address

**D.** Layer 3 network address

**Answer:** B

**NO.10** Which statement accurately describes storage protocols?

- A. SCSI uses the TCP offload engine to provide faster file transfers.
- B. Fibre Channel enables the consolidation of the LAN and SAN traffic on the same physical Ethernet infrastructure.
- C. iSCSI provides boot from external storage over a TCP/IP network
- D. An initiator is a client that initiates the TCP session toward the target server.

**Answer:** A

**NO.11** Which two are functions of the data center access layer? (Choose two.)

- A. high network fault tolerance
- B. VLAN creation
- C. high data transfer rate
- D. server connections
- E. packet filtering

**Answer:** B,D

**NO.12** Which route type is the most trustworthy for a Cisco routing device?


- A. static
- B. OSPF dynamic
- C. BGP dynamic
- D. EIGRP dynamic

**Answer:** A


**NO.13** Drag and drop the port type from the left onto the correct description on the right.

CMP	uses an RS-232 connection to access the device CLI either locally or via a terminal server
SVI	provides lights-out CLI console access to the supervisor module over an IP network by using SSHv2 or Telnet
console	provides out-of-band management by using Telnet or SSH
mgmt0	provides in-band management by using Telnet or SSH

**Answer:**



Explanation



CMP provides light-out CLI console access to the supervisor module over an IP network by using sshv2 or telnet SVI provides inband management by using telnet or ssh console uses an RS-232 connection to access the device CLI either locally or via a terminal server mgmt0 provides out-of-band management by using telnet or ssh

**NO.14** In which layer of the OSI model are TCP port numbers defined?

- A. transport
- B. network
- C. session
- D. data-link

**Answer:** A

**NO.15** Which two hosts are part of subnet 172.16.160.0/20? (Choose two.)

- A. 172.16.160.0
- B. 172.16.160.255
- C. 172.16.176.1
- D. 172.16.176.255
- E. 172.16.168.0

**Answer:** B,E